

# EQ Mass Production List

NO.	Inch	Resolution	Brightness Typ	TP Type	Compatible Interface	AA		Outline Size		
						W	H	W	H	T
1	0.960	80*160	700	WITHOUT	SPI、MCU	10.8	21.696	13.5	27.95	1.5
2	1.050	120*240	700	WITHOUT	SPI、MCU、RGB	11.88	23.76	14.25	28.6	1.6
3	1.090	240*240	350	WITH	SPI、MCU、RGB	27.79	27.79	40.5	40.5	3.29
4	1.150	135*240	440	WITHOUT	SPI、MCU、RGB	14.86	24.91	17.6	31	1.62
5	1.280	240*240	250	WITH	SPI、MCU、RGB	32.4	32.4	46	46	2.73
6	1.300	240*240	360	WITH	SPI、MCU、RGB	23.4	23.4	63.16	50.6	3.97
7	1.320	360*360	450	WITH	SPI、MCU、RGB、MIPI	33.48	33.48	43.2	43.2	3.29
8	1.400	240*240	650	WITH	SPI、MCU、RGB	25.2	25.2	32.0	32.8	2.74
9	1.540	240*240	350	WITH	SPI、MCU、RGB	27.72	27.72	31.5	33.7	2.02
10	1.600	320*360	400	WITH	SPI、MCU、MIPI	27.02	30.4	33.0	39.0	1.98
11	1.690	240*280	370	WITH	SPI、MCU、RGB	27.97	32.63	40.2	120.2	11.72
12	1.770	128*160	350	WITHOUT	SPI、MCU	28.03	35.04	34.7	46.7	1.73
13	1.800	360*360	500	WITHOUT	SPI、MCU、RGB、MIPI	45.68	45.68	48.08	49.95	1.52
14	1.900	170*320	320	WITH	SPI、MCU、RGB	22.95	42.72	28.3	49.7	2.71
15	2.000	480*360	TBD	WITHOUT	SPI、RGB、MIPI	40.824	30.618	40.8	38.0	1.06
16	2.100	480*480	350	WITHOUT	SPI、RGB、MIPI	53.28	53.28	56.18	59.7	2.22
17	2.200	640*320	400	WITH	MIPI	49.44	25.09	54.0	42.7	2.50
18	2.390	260*640	320	WITH	SPI、RGB、MIPI	22.815	56.16	28.0	143.0	2.99
19	2.400	240*320	350	WITH	SPI、MCU、RGB	36.72	49.96	46.70	63.90	3.16
20	2.420	240*400	850	WITH	SPI、MCU、RGB、MIPI	31.68	52.8	39.6	65.6	2.76
21	2.760	480*480	350	WITHOUT	RGB、MIPI	71.42	71.43	73.13	77.33	2.22
22	2.800	240*320	330	WITH	SPI、MCU、RGB、MIPI	43.2	57.6	50.8	74.9	3.42
23	2.800	240*320	300	WITH	SPI、MCU、RGB	43.2	57.6	57.76	72.00	3.74
24	2.950	480*854	500	WITHOUT	RGB、MIPI	36.72	65.28	42.70	74.70	1.90
25	2.970	254*800	320	WITH	SPI、RGB、MIPI	22.86	72	27.92	145.8	2.91
26	2.990	268*800	700	WITH	SPI、RGB、MIPI	24.12	72	29.88	143.5	3.28
27	2.990	260*800	340	WITH	SPI、RGB、MIPI	24.12	72	29.2	105	2.65
28	3.100	480*800	400	WITH	SPI、RGB、MIPI	40.32	67.2	45	82	2.31
29	3.110	280*960	350	INCELL	SPI、RGB、MIPI	22.09	75.74	29	151.3	2.79
30	3.190	262*928	460	WITH	SPI、MCU、MIPI	22.01	77.95	29.55	296.70	1.63
31	3.200	240*320	400	WITHOUT	SPI、MCU、RGB	48.60	64.8	52.80	75.00	2.30
32	3.330	320*480	450	WITHOUT	SPI、RGB	46.46	69.7	49.66	77.20	2.08
33	3.360	240*320	350	WITH	SPI、MCU、RGB	51.27	68.36	58.91	84.00	3.11
34	3.500	320*480	250	WITHOUT	SPI、MCU、RGB、MIPI	48.96	73.44	54.46	82.94	2.25
35	3.500	320*480	400	WITHOUT	SPI、MCU、RGB、MIPI	48.96	73.44	54.16	82.70	1.70
36	3.500	640*480	TR	WITHOUT	RGB	71.04	53.28	74.04	58.50	1.00
37	3.600	544*506	320	WITHOUT	SPI、RGB、LVDS	89.76	83.49	95.46	91.81	2.3
38	3.680	266*960	320	WITH	SPI、RGB、MIPI	24.94	90	30.1	143.1	2.79
39	3.710	240*960	400	WITH	SPI、RGB、MIPI	22.86	91.44	29.88	147.2	2.88
40	3.710	240*960	500	WITH	SPI、RGB、MIPI	22.86	91.44	28.88	113.7	2.57
41	3.800	720*644	300	WITHOUT	RGB、MIPI、LVDS	96	89.08	102.4	99.24	2.22
42	3.950	480*480	350	WITH	SPI、RGB、MIPI	71.86	70.18	84	84	3.73
43	3.970	480*800	440	INCELL	SPI、MCU、RGB、MIPI	51.84	86.40	64	112.3	3.23
44	3.980	320*480	330	WITHOUT	SPI、MCU、RGB、MIPI	55.68	83.52	60	92.25	2.2

45	4.000	480*800	500	WITH	SPI 、 RGB、 MIPI	51.84	86.4	62.7	110.5	3.8
46	4.000	480*800	450	WITH	SPI 、 RGB、 MIPI	51.84	86.4	63.09	103.9	3.4
47	4.000	280*1184	320	INCELL	SPI 、 RGB、 MIPI	23.39	98.92	29.78	120	2.58
48	4.080	280*936	350	INCELL	SPI 、 RGB、 MIPI	29.75	99.46	35.45	146.1	2.74
49	4.150	232*960	420	WITH	SPI 、 RGB、 MIPI	24.78	102.53	30.1	137.3	2.93
50	4.200	300*400	TR	WITHOUT	SPI 、 MCU	63.60	84.8	67.6	91.00	0.80
51	4.300	480*272	650	WITHOUT	SPI、 RGB	95.04	53.856	105.5	67.2	2.9
52	4.300	480*800	550	WITH	RGB 、 MIPI	56.16	93.6	68	130	3.14
53	4.950	480*960	500	WITH	RGB 、 MIPI	56.16	112.32	65.52	135.4	2.82
54	4.960	480*854	350	INCELL	RGB 、 MIPI	61.78	109.91	67.6	134.7	2.35
55	4.970	1080*192	450	WITH	MIPI	61.88	110.02	69.06	124	2.64
56	5.000	800*480	TR	WITHOUT	RGB	108.00	64.8	120.2	75.3	TBD
57	5.000	480*854	400	WITHOUT	SPI 、 RGB、 MIPI	61.63	109.65	66.4	120.1	2.01
58	5.000	800*480	350	WITH	MIPI	62.1	110.4	74.2	132.6	3.33
59	5.000	720*1280	390	WITH	MIPI	62.1	110.4	74.2	132.6	3.33
60	5.000	480*854	400	WITHOUT	SPI 、 RGB、 MIPI	61.63	109.65	66.4	120.1	2.01
61	5.500	720*1280	TR	WITH	MIPI	68.04	120.96	74.64	139.4	3.63
62	5.500	720*1440	500	WITH	MIPI	61.88	123.77	70.7	141.8	2.92
63	5.500	480*960	400	WITHOUT	SPI 、 RGB、 MIPI	61.88	123.75	65.08	130.7	2.05
64	5.500	1080*1920	900	WITHOUT	MIPI	68.04	120.96	70.44	128.8	1.83
65	5.500	720*1440	400	INCELL	MIPI	61.88	123.77	69.06	148.9	2.81
66	5.700	720*1440	390	WITH	MIPI	64.8	129.6	71.16	151	3.1
67	5.710	720*1520	530	WITH	MIPI	62.1	131.1	69.25	150.5	3.06
68	5.860	720*1520	400	INCELL	MIPI	63.72	134.52	68.47	145.3	2.23
69	6.000	480*960	400	WITHOUT	SPI 、 RGB、 MIPI	68.04	136.08	71.64	143.6	2.1
70	6.000	480*960	330	WITH	SPI 、 RGB、 MIPI	68.04	136.08	73.44	155.2	2.75
71	6.000	1080*2160	430	WITH	MIPI	68.04	136.08	75	153.6	2.7
72	6.088	480*1010	400	WITHOUT	SPI 、 RGB、 MIPI	67.10	141.50	70.80	148.95	2.29
73	6.088	720*1560	500	INCELL	MIPI	64.80	140.40	71.68	154.16	2.67
74	6.220	720*1520	330	INCELL	MIPI	67.61	142.73	72.96	156.1	2.9
75	6.260	480*1014	350	WITH	MIPI	68.04	143.73	74.8	156.5	3.38
76	6.300	1080*2340	450	INCELL	MIPI	67.07	145.31	72.9	157.2	2.69
77	6.512	540*1200	400	INCELL	MIPI	67.88	150.84	72.1	159.5	2.15
78	6.517	720*1600	400	WITH	MIPI	67.932	150.96	72.19	160.38	2.14
79	6.530	1080*2340	460	INCELL	MIPI	69.5	150.58	74.8	164.50	2.12
80	6.550	720*1600	450	INCELL	MIPI	68.26	151.68	72.66	160.66	2.18
81	6.560	720*1612	480	WITH	MIPI	67.93	152.09	72.25	160.7	2.15
82	6.580	1080*2408	400	INCELL	MIPI	69.93	152.57	72.48	161.30	2.07
83	6.590	720*1600	400	INCELL	MIPI	68.69	152.64	75.86	157.54	2.26
84	6.670	1080*2400	450	WITH	MIPI	69.55	154.56	74.05	163.56	1.70
85	6.670	1080*2400	480	INCELL	MIPI	69.50	154.44	75.36	167.81	2.62
86	6.740	720*1600	400	INCELL	MIPI	70.310	156.24	74.31	164.56	2.14
87	6.820	720*16040	400	INCELL	MIPI	69.660	158.67	74.62	169.35	2.15
88	6.860	480*1280	450	WITH	MIPI	60.190	160.51	76	217.80	6.15
89	6.950	600*1024	300	WITH	MIPI	89.28	152.37	93.28	159.82	0.80
90	7.000	800*1280	450	WITH	MIPI	94.20	150.72	106.30	181.80	3.59
91	7.000	800*480	400	WITHOUT	RGB	154.08	85.92	165.00	100.00	7.25
92	7.000	1024*600	400	WITHOUT	RGB、 LVDS	154.21	85.92	164.92	100.02	2.67
93	7.000	1024*600	450	WITH	MIPI	154.21	85.92	178.07	109.81	5.12
94	7.020	1200*1920	500	INCELL	MIPI	94.500	151.20	99.10	159.68	2.30
95	7.900	1536*2048	400	WITHOUT	MIPI	119.810	159.74	129.11	171.15	2.14

96	8.000	1200*1920	650	WITH	MIPI	107.64	172.22	122.80	202.66	3.88
97	8.000	800*1280	330	WITH	MIPI	107.64	172.22	123.20	217.20	4.64
98	8.000	800*1280	350	INCELL	MIPI	107.64	172.22	119.63	195.79	3.25
99	10.100	800*1280	380	WITH	MIPI	216.58	135.36	242.00	162.50	5.23
100	10.100	800*1280	300	WITH	MIPI	216.58	135.36	248.00	215.36	3.96
101	10.100	1280*800	350	WITH	LVDS	216.96	135.60	229.85	149.60	4.47
102	10.100	1024*600	300	WITH	MIPI	222.72	125.28	230.40	134.20	1.00
103	10.100	1200*1920	420	WITH	MIPI	135.36	216.58	163.90	254.90	4.37
104	10.100	1200*1600	TR	WITH	MIPI	152.46	203.28	162.16	212.18	1.97
105	10.110	440*1920	1000	WITHOUT	MIPI	57.95	252.86	64.98	266.44	6.90
106	10.300	1440*1920	TR	WITH	MIPI	156.25	208.66	176.65	236.26	3.32
107	10.360	800*1332	TBD	WITH	MIPI	135.36	225.57	153.90	262.90	3.87
108	10.400	1200*2000	260	WITHOUT	MIPI	135.36	225.60	152.86	243.10	2.90
109	11.500	2560*1600	420	WITH	MIPI	251.58	159.94	284.75	185.00	2.79
110	11.600	1920*1080	250	WITHOUT	EDP	256.32	144.18	268.00	157.25	2.66
111	11.600	3840*2160	550	WITHOUT	EDP	256.90	144.50	265.90	158.20	3.00
112	11.600	1366*768	230	WITHOUT	EDP	*	*	*	*	*
113	12.600	1600*2560	420	WITH	MIPI	169.33	271.41	186.83	288.61	2.85
114	13.300	1920*1080	200	WITH	EDP	293.76	165.24	356.20	313.25	4.65
115	14.000	1920*1080	230	WITHOUT	EDP	309.31	173.99	315.56	195.84	2.60
116	15.600	1920*1080	250	WITH	EDP	344.16	193.59	359.54	206.52	3.20
117	16.000	2560*1600	TBD	WITHOUT	EDP	*	*	*	*	*

Contact: Livia Li  
TEL: 0086 15327567818  
Email: livia.li@easyquicklcd.com  
WhatsApp: 0086 15327567818  
Wechat: 0086 15327567818